


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-14 (Cancelled).

15. (Currently Amended) A method for controlling non-crop pests, wherein the non-crop pests are selected from the group consisting of the orders Isoptera, Blattaria (Blattodea), Diptera, Hymenoptera, Siphonaptera, and Parasitiformes, the method comprising contacting the non-crop pests or food supply, habitat, breeding grounds or their locus with a pesticidally effective amount of a compound of formula I



wherein

W is chlorine or trifluoromethyl;

X and Y are each independently chlorine or bromine;

R¹ is C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl, or C₃-C₆-cycloalkyl which may be substituted with 1 to 3 halogen atoms, or C₂-C₄-alkyl which is substituted by C₁-C₄-alkoxy;


R² and R³ are C₁-C₆-alkyl or may be taken together to form C₃-C₆-cycloalkyl which may be unsubstituted or substituted by 1 to 3 halogen atoms;

R⁴ is hydrogen or C₁-C₆-alkyl,

or the enantiomers or salts thereof.

16-17. (Cancelled)

18. (Previously Presented) A method for the protection of non-living organic materials against non-crop pests comprising contacting the non-crop pests or their food supply, habitat, breeding grounds, their locus or the non-living organic materials with a pesticidally effective amount of a compound of formula I



wherein

W is chlorine or trifluoromethyl;

X and Y are each independently chlorine or bromine;


R¹ is C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl, or C₃-C₆-cycloalkyl which may be substituted with 1 to 3 halogen atoms, or C₂-C₄-alkyl which is substituted by C₁-C₄-alkoxy;

R² and R³ are C₁-C₆-alkyl or may be taken together to form C₃-C₆-cycloalkyl which may be unsubstituted or substituted by 1 to 3 halogen atoms;


R⁴ is hydrogen or C₁-C₆-alkyl,

or the enantiomers or salts thereof.


19. (Previously Presented) A method according to claim 15 wherein the compound of formula I is a compound of formula I-1




20. (Previously Presented) A method according to claim 15 wherein the compound of formula I is a compound of formula I-2



21. (Previously Presented) A method according to claim 18 wherein the compound of formula I is a compound of formula I-1




22. (Previously Presented) A method according to claim 18 wherein the compound of formula I is a compound of formula I-2



23-26. (Cancelled)

27. (Previously Presented) A method for the protection of non-living organic materials against non-crop pests selected from the group consisting of the class Diplopoda

and of the orders Isoptera, Diptera, Blattaria (Blattodea), Dermaptera, Hemiptera, Hymenoptera, Orthoptera, and Thysanura comprising contacting the non-crop pests or their food supply, habitat, breeding grounds, their locus or the non-living organic materials with a pesticidally effective amount of a compound of formula I



wherein

W is chlorine or trifluoromethyl;

X and Y are each independently chlorine or bromine;


R¹ is C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl, or C₃-C₆-cycloalkyl which may be substituted with 1 to 3 halogen atoms, or C₂-C₄-alkyl which is substituted by C₁-C₄-alkoxy;

R² and R³ are C₁-C₆-alkyl or may be taken together to form C₃-C₆-cycloalkyl which may be unsubstituted or substituted by 1 to 3 halogen atoms;


R⁴ is hydrogen or C₁-C₆-alkyl,

or the enantiomers or salts thereof.


28. (Previously Presented) A method according to claim 27 wherein the compound of formula I is a compound of formula I-1



29. (Previously Presented) A method according to claim 27 wherein the compound of formula I is a compound of formula I-2



30. (Previously presented) A method for the protection of animals against non-crop pests selected from the group consisting of the class Chilopoda and of the orders Araneida, Hemiptera, Diptera, Phthiraptera, Siphonaptera, Parasitiformes and Acaridida, comprising treatment of the non-crop pests in water bodies and/or in and around buildings with a pesticidally effective amount of a compound of formula I



wherein

W is chlorine or trifluoromethyl;

X and Y are each independently chlorine or bromine;


R¹ is C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl, or C₃-C₆-cycloalkyl which may be substituted with 1 to 3 halogen atoms, or C₂-C₄-alkyl which is substituted by C₁-C₄-alkoxy;

R² and R³ are C₁-C₆-alkyl or may be taken together to form C₃-C₆-cycloalkyl which may be unsubstituted or substituted by 1 to 3 halogen atoms;


R⁴ is hydrogen or C₁-C₆-alkyl,

or the enantiomers or salts thereof.

31. (Previously Presented) A method according to claim 30 wherein the compound of formula I is a compound of formula I-1




32. (Previously Presented) A method according to claim 30 wherein the compound of formula I is a compound of formula I-2



33. (Previously Presented) A method according to claim 30 wherein the non-crop pests are selected from the group consisting of the Diptera, Phthiraptera, Siphonaptera, and Parasitiformes orders.

34. (Previously Presented) A bait composition which comprises a pesticidally effective amount of a compound of formula I



wherein

W is chlorine or trifluoromethyl;

X and Y are each independently chlorine or bromine;

R^1 is C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, or C_3 - C_6 -cycloalkyl which may be substituted with 1 to 3 halogen atoms, or C_2 - C_4 -alkyl which is substituted by C_1 - C_4 -alkoxy;


R^2 and R^3 are C_1 - C_6 -alkyl or may be taken together to form C_3 - C_6 -cycloalkyl which may be unsubstituted or substituted by 1 to 3 halogen atoms;

R^4 is hydrogen or C_1 - C_6 -alkyl,

or the enantiomers or salts thereof;

and an attractant.

35. (Previously Presented) A bait composition according to claim 34 wherein the compound of formula I is a compound of formula I-1



36. (Previously presented) A bait composition according to claim 34 wherein the compound of formula I is a compound of formula I-2

